

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	52	(cache and thread and address and generat\$3 and select\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB
2	BRS	L2	7	(cache and thread and address and generat\$3 and select\$3 and miss and counter).clm.	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB
3	BRS	L3	7	(cache and thread and address and (generat\$3 or creat\$3 or form\$3 or mak\$3) and select\$3 and miss and counter).clm.	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB
4	BRS	L4	23	(cache and thread and address and (generat\$3 or creat\$3 or form\$3 or mak\$3) and select\$3 and (integrat\$3 or add\$3 or concatenat\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB

MR

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	7	(cache and thread and address and select\$3 and ((generat\$3 or creat\$3 or form\$3 or mak\$3) same (integrat\$3 or add\$3 or concatenat\$3 or join\$3 or integrat\$3 or merg\$3))).clm.	US-PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB
6	BRS	L6	1	(cache same thread same address same select\$3 same ((generat\$3 or creat\$3 or form\$3 or mak\$3) with (integrat\$3 or add\$3 or concatenat\$3 or join\$3 or integrat\$3 or merg\$3))).clm.	US-PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or compose a new query in the Search Query Display.

Sun, 24 Jun 2007, 10:31:43 PM EST

Search Query Display


Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((cache <paragraph> (lthread\$3 <sentence> address <sentence> (generate or create or form or make)))<in>metadata)
- #2 ((cache <paragraph> (lthread\$3 <sentence> (concatenate or join or merge or integrate or add) <sentence> address <sentence> (generate or create or form or make)))<in>metadata)

Indexed by

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IE

Web Images Video News Maps Gmail more ▾

[Sign in](#)

Google

thread concatenate address (generate or form or create or make) Search

[Advanced Search](#)
[Preferences](#)

Try uppercase "OR" to search for either of two terms. [\[details\]](#)

Web Results 1 - 10 of about **38,100** for **thread concatenate address (generate or form or create or make) (se**

Novell exteNd Director 5.2.1 -- Release Notes

Select Portal Administration, then **choose** Maintain Container Pages. getUsers (context); // For each user, **create** a folder and **make** sure that only that ...
www.novell.com/documentation/extend52/Docs/help/Director/relnotes.html - 161k -
[Cached](#) - [Similar pages](#)

JBlogs: 05/01/2005 - 06/01/2005

At any one given time, a **thread** is considered to be in just one AppDomain. An AppDomain is relatively cheap to **create** (compared to a process), ...
jingyueluo.blogspot.com/2005_05_01_archive.html - 109k - [Cached](#) - [Similar pages](#)

Atlassian Developer Blog: May 2007 Archives

Run the diff algorithm and **concatenate** all the operations it produces – 'equal', ... When the user had edited the **create** issue **form** on the remote server, ...
blogs.atlassian.com/developer/2007/05/ - 221k - [Cached](#) - [Similar pages](#)

Eric J. Ostrander's ClearCase / ClearQuest page.

To **make** the list a pull-down menu, see "Create a pull-down menu field". If you add a new user, you can **pick** and **choose** which databases they will ...
members.cox.net/ejostrander/clearteam/cq_howto.html - 299k - [Cached](#) - [Similar pages](#)

About ColdFusion Administrator ColdFusion MX Version: Serial ...

Debugging IP **Address Select** the IP addresses that receive debugging messages. Use this **form** to **create**, map, and manage your Verity collections. ...
pegismap.penang.gov.my/PENANG/CFIDE/administrator/cftags/resources/cfadmin_en.xml - 147k - [Cached](#) - [Similar pages](#)

Terms at Softpicks Net: CTSS COM3 Copland CSP CS/SS CNE CKD CMYK ...

CAS, Column **Address Select**/Strobe + Communications Application ... Aided Testing + Computer Aided Tomography + Computer Aided Transcription + **Concatenate** ...
www.softpicks.net/terms/c.htm - 56k - [Cached](#) - [Similar pages](#)

Monad

Hopefully you've read the previous entries on how to **create** MshSnapins to 4) **Select** can **pick** properties of an object and/or expand the elements of a ...
blogs.msdn.com/monad/Default.aspx?p=2 - 455k - [Cached](#) - [Similar pages](#)

Visual Basic Sample Code - Developer Fusion - Visual Basic, C# ...

Do you want to **create** your own title bar for **forms** in your VB application? directory 2nd **choose** the file 3rd click the Open button 4th **select** word(s), ...
www.developerfusion.co.uk/vb/1/Code/ - 138k - [Cached](#) - [Similar pages](#)

7 Understanding the Ultra Search Administration Tool

The Ultra Search crawler will **choose** the **form** to use based on the **form's** URL You can **create**, edit, or delete Oracle sources. You can **choose** federated ...
www.stanford.edu/dept/itss/docs/oracle/10g/ultra.101/b10731/admin.htm - 136k -
[Cached](#) - [Similar pages](#)

MR

	Type	Hits	Search Text	DBs
1	BRS	5	((instruction near3 register) with ID) same (address near3 generat\$3) same cache same select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	9	((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) near3 associativ\$3) same (thrash\$3 or ping-pong or (ping adj pong))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	8	711/133.ccls. and 711/134.ccls. and ((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) near3 associativ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	27	(thrash\$3 or ping-pong or (ping adj pong)) same ((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) with associativ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	17	"711"/\$.ccls. and (thrash\$3 or ping-pong or (ping adj pong)) same ((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) with associativ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	13	(avoid\$3 or prevent\$3 or stop\$4) with (thrash\$3 or ping-pong or (ping adj pong)) same ((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) with associativ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	(avoid\$3 or prevent\$3 or stop\$4) with (thrash\$3 or ping-pong or (ping adj pong)) same (thread\$3 near3 ID) with (cache near3 index) with address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	0	(avoid\$3 or prevent\$3 or stop\$4) with (thrash\$3 or ping-pong or (ping adj pong)) same (thread\$3 near3 ID) with (cache near3 index) same address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	0	(avoid\$3 or prevent\$3 or stop\$4) with (thrash\$3 or ping-pong or (ping adj pong)) same (thread\$3 near3 ID) with (select\$3) same address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

10	BRS	1	(avoid\$3 or prevent\$3 or stop\$4) with (thrash\$3 or ping- pong or (ping adj pong)) same (thread\$3 near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	---	--	---

	Type	Hits	Search Text	DBs
11	BRS	2	(select\$3) with (thread\$3 near3 ID) with (cache near3 index) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	("2005/0071535").URPN.	USPAT
13	BRS	2	(select\$3 or choos\$3 or pick\$3) with (thread\$3 near3 (ID or identification or indicator)) with (cache near3 index) same concatenat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	2	(select\$3 or choos\$3 or pick\$3) with (thread\$3 near3 (ID or identification or indicator)) with (cache near3 bit) same concatenat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1	(select\$3 or choos\$3 or pick\$3) with (thread\$3 near3 (ID or identification or indicator)) with (cache near3 bit) same (integrat\$3 or unit\$3 add\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	4	(select\$3 or choos\$3 or pick\$3) with (thread\$3 near3 (ID or identification or indicator)) with cache same (integrat\$3 or unit\$3 add\$3 or concatenat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	3	((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) with (integrat\$3 or unit\$3 add\$3 or concatenat\$3) same (thread\$3 near3 (ID or identification or indicator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	112	((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) with (integrat\$3 or unit\$3 add\$3 or concatenat\$3) same (thread\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	26	((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) with (integrat\$3 or add\$3 or concatenat\$3) same (thread\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	49	cache and ((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) same (integrat\$3 or add\$3 or concatenat\$3) same (thread\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

21	BRS	9	cache and ((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) same (concatenat\$3) same (thread\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	---	--	---

	Type	Hits	Search Text	DBs
22	BRS	289	cache and ((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) same (concatenat\$3) same (select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	235	cache and ((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) with (concatenat\$3) same (select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	46	cache same ((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) with (concatenat\$3) same (select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	0	("2005/0071601").URPN.	USPAT
26	BRS	1	(cache near3 bit) with (enable near3 address near3 generat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	40	(cache) with (enable near3 address near3 generat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	0	"20060195683".pn. and (enable near3 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	1	"20060195683".pn. and (enable with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	1	(select\$3 near3 thread) with (miss near3 count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	0	(select\$3 near3 process) with (miss near3 count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	1	(select\$3 near3 process) same (miss near3 count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	31	(select\$3) with (cache near3 miss near3 count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	6	(cache near3 miss) with (thread\$3 near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	0	("2005/0071535").URPN.	USPAT
36	BRS	7	((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) near3 associativ\$3) with (thrash\$3 or ping-pong or (ping adj pong))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
37	BRS	28	(thrash\$3 or ping-pong or (ping adj pong)) same ((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) with associativ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	5	((instruction near3 register) with ID) same (address near3 generat\$3) same cache same select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	9	((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) near3 associativ\$3) same (thrash\$3 or ping-pong or (ping adj pong))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	9	711/133.ccls. and 711/134.ccls. and ((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) near3 associativ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	17	"711"/\$.ccls. and (thrash\$3 or ping-pong or (ping adj pong)) same ((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) with associativ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	4	(select\$3 or choos\$3 or pick\$3) with (thread\$3 near3 (ID or identification or indicator)) with cache same (integrat\$3 or unit\$3 add\$3 or concatenat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	1	(avoid\$3 or prevent\$3 or stop\$4) with (thrash\$3 or ping-pong or (ping adj pong)) same (thread\$3 near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	13	(avoid\$3 or prevent\$3 or stop\$4) with (thrash\$3 or ping-pong or (ping adj pong)) same ((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) with associativ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	2	(select\$3) with (thread\$3 near3 ID) with (cache near3 index) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	31	((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) with (integrat\$3 or add\$3 or concatenat\$3) same (thread\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
47	BRS	13	cache and ((form\$3 or creat\$3 or generat\$3 or mak\$3) near3 address) same (concatenat\$3) same (thread\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	35	(select\$3) with (cache near3 miss near3 count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
49	BRS	1	(select\$3) with (thread adj ID) with (cache adj index) with register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
50	BRS	1	(select\$3) with (thread adj ID) with (cache adj index) with (cache near3 enable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
51	BRS	1	(select\$3) with (thread adj ID) with (cache adj index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
52	BRS	67	(select\$3) with (thread adj ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
53	BRS	5	(select\$3) with (thread adj ID) with valid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
54	BRS	2	"20060195683".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
55	BRS	17	((select\$3) with (thread adj ID)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
56	BRS	0	((address near3 generat\$3) with (select\$3 near3 (thread adj ID))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
57	BRS	1	((address near3 generat\$3) same (select\$3 near3 (thread adj ID))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
58	BRS	1	((address near3 generat\$3) and (select\$3 near3 (thread adj ID))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
59	BRS	1	((address near3 generat\$3) and (select\$3 near3 (thread adj ID) near3 (cache adj index)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
60	BRS	9	((address near3 generat\$3) and (select\$3 near3 (thread adj ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
61	IS&R	2	("6874056").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB

62	BRS	3	"20060195683"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
----	-----	---	---------------	---

	Type	Hits	Search Text	DBs
63	BRS	7	((chang\$3 or increas\$3 or rais\$3 or ris\$3 or elevat\$3) near3 associativ\$3) with (thrash\$3 or ping-pong or (ping adj pong))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	(thrash\$3 near3 cache) same (select\$3 with (miss near3 count\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	3	(thrash\$3 near3 cache) and (select\$3 with (miss near3 count\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	3	(thread\$3 near3 cache) and (select\$3 with (miss near3 count\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	2	"6874056".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	31	(cache near3 index) with (concatenat\$3 or join\$3 or add\$3 or combin\$3 or merg\$3 or integrat\$3) with ((form\$3 or creat\$3 or generat\$3 or mak\$3) near4 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	2	thread and (cache near3 index) with (concatenat\$3 or join\$3 or add\$3 or combin\$3 or merg\$3 or integrat\$3) with ((form\$3 or creat\$3 or generat\$3 or mak\$3) near4 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	0	("2005/0071535").URPN.	USPAT
71	BRS	27	thread and (concatenat\$3 or join\$3 or add\$3 or combin\$3 or merg\$3 or integrat\$3) with ((form\$3 or creat\$3 or generat\$3 or mak\$3) near4 address\$3) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	31	thread\$3 and (concatenat\$3 or join\$3 or add\$3 or combin\$3 or merg\$3 or integrat\$3) with ((form\$3 or creat\$3 or generat\$3 or mak\$3) near4 address\$3) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	4	thread\$3 same (concatenat\$3 or join\$3 or add\$3 or combin\$3 or merg\$3 or integrat\$3) with ((form\$3 or creat\$3 or generat\$3 or mak\$3) near4 address\$3) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
74	BRS	174	(select\$3 or choos\$3 or pick\$3) same thread\$3 same cache same (concatenat\$3 or join\$3 or add\$3 or combin\$3 or merg\$3 or integrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	4757	711/118,128,133,134,214,220.ccl s.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
76	BRS	721	(cache) same (integrat\$3 or add\$3 or concatenat\$3) same (thread\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
77	BRS	56	S79 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
78	BRS	8	S77 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
79	BRS	7	(cache) same ((integrat\$3 or add\$3 or concatenat\$3) with (thread\$3)) same ((form\$3 or creat\$3 or generat\$3 or mak\$3) near4 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	1	S82 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB